

Appli: 9287

Cet 4. 4272

STATE OF WASHINGTON
DEPARTMENT OF CONSERVATION
DIVISION OF WATER RESOURCES

Well tag id: AGA939

WELL LOG

Record by Driller

Source Driller's Record

Location: State of WASHINGTON

County Island

Area

Map

NW 1/4 NW 1/4 sec 19 T31 N, R2 E, W.

Diagram of Section

Drilling Co. Whidby Well Driller's

Address P. O. Box 277 Oak Harbor, Wash.,

Method of Drilling cable Date February 1, 1968

Owner Admirals Cove, Inc.

Address 2230 8th Avenue, Seattle, Wash.,

Land surface, datum ft. above

SWL: 148 Date October 10, 1967 Dims: x204'

CORRE- LATION	MATERIAL	From (feet)	To (feet)
------------------	----------	----------------	--------------

(Transcribe driller's terminology literally but paraphrase as necessary in parentheses. If material water-bearing, so state and record static level if reported. Give depths in feet below land-surface datum unless otherwise indicated. Correlate with stratigraphic column, if feasible. Following log of materials, list all casings, perforations, screens, etc.)

	COMMUNITY DOMESTIC		
	Gravelly	0	3
	Hard Pan	3	45
	Clay, sandy	45	51
	Clay	51	60
	Sandy	60	204
	Water in good at 148', Still in water, sand at 204' but becoming finer sand.		

Casing: 0' to 189'

Screens: Cook, stainless steel

From 189' to 199'

199' to 204'

Yield: 300 gpm with 15' DD after 8 hrs

Rec: 0 to 163' Date: 1-30-68

0:10 to 148 -6

Turn up 0:50 to 148 full recovery Sheet of ... sheets

31.2E. 190
The number

Appli: 9287

Cent. 4672

STATE OF WASHINGTON
DEPARTMENT OF CONSERVATION
DIVISION OF WATER RESOURCES

WELL LOG

Record by Driller
Source Driller's Record

Location: State of WASHINGTON

County Island

Area

Map

NW 1/4 NW 1/4 sec. 19 T31 N, R2 E. E.

Drilling Co. Whidby Well Driller's

Address P. O. Box 277 Oak Harbor, Wash.,

Method of Drilling cable Date February 1, 1968

Owner Admirals Cove, Inc.

Address 2230 8th Avenue, Seattle, Wash.,

Land surface, datum ft. above

SWL: 148 Date October 10, 1967 Dims.: x204'




Diagram of Section

CORRE- LATION	MATERIAL	From (feet)	To (feet)
------------------	----------	----------------	--------------

(Transcribe driller's terminology literally, but paraphrase as necessary, in parentheses if material water-bearing, so state and record static level if reported. Give depths in feet below land-surface datum unless otherwise indicated. Correlate with stratigraphic column, if feasible. Following log of materials, list all casings, perforations, screens, etc.)

	COMMUNITY DOMESTIC		
	Gravelly	0	3
	Hard Pan	3	45
	Clay, sandy	45	51
	Clay	51	60
	Sandy	60	204
	Water in good at 148', Still in water, sand at 204' but becoming finer sand.		

Casing: 0' to 189'

Screens: Cook, stainless steel

From 189' to 199'

199' to 204'

Yield: 300 gpm with 15' DD after 8 hrs

Rec: 0 to 163' Date: 1-30-68

0:10 to 148 -6

Turn up 0:50 to 148 full recovery Sheet of sheets

31.2E. 190
File number